

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,013,096 B2
APPLICATION NO. : 10/765169
DATED : March 14, 2006
INVENTOR(S) : Ichiro Ozawa et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE DRAWINGS:

In Sheet 8, Figure 9, the box containing the step "Has Predetermined Period Of Time (N×t2) Elapsed?" should be denoted by reference character --S4--. See Attached

COLUMN 1:

Line 25, "well" should read --is well--;
Line 29, "is" should read --are--; and
Line 42, "in" should read --into--.

COLUMN 3:

Line 18, "particles)within" should read --particles) within--.

COLUMN 4:

Line 13, "and" should be deleted;
Line 20, "change" should read --charge--; and
Line 21, "time." should read --time; and--.

COLUMN 6:

Line 40, "member- that" should read --member that--; and
Line 42, "an" should read --a--.

COLUMN 7:

Lines 30 and 31, "nonmagnetic carriers," should read --nonmagnetic toner,--;
and
Line 50, "supply 22" should read --supply 22.--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,013,096 B2
APPLICATION NO. : 10/765169
DATED : March 14, 2006
INVENTOR(S) : Ichiro Ozawa et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 8:

Line 56, "more" should read --more--.

COLUMN 9:

Line 23, "Judged" should read --judged--.

COLUMN 13:

Line 18, "elapses" should read --elapses--; and
Line 39, "leaving" should read --the leaving--.

COLUMN 15:


Line 28, " $SF-2 = \{(PERI)^2 / AREA\} (V4\pi) \times 100$ " should read
-- $SF-2 + \{(PERI)^2 / AREA\} \times (1/4\pi) \times 100$ --; and
Line 44, "is" should read --are--.

COLUMN 18:

Line 48, "apparatus" should read --apparatus according--.

Signed and Sealed this

Seventeenth Day of October, 2006



JON W. DUDAS
Director of the United States Patent and Trademark Office




FIG. 9